



Retail Pricing
Pricing subject to change without notice.

Wireless (Live Performance) - Stagepass 1600 Series

Model	Description
WX1600 G Model Name #WX1600	UHF Wireless Cardioid Dynamic Handheld Microphone System 542.125MHz - 564.175 MHz

Wireless Mic System - Stagepass 1600 Series

Model	Description
TX1600 G Model Name #TX1600	Handheld wireless microphone for use with WX1600 Series, Frequency range band: 542 - 564 MHz
TX1600 F Model Name #TX1600	Handheld wireless microphone for use with WX1600 Series, Frequency range band: 638 - 662 MHz
TX1610 G Model Name #TX1610	Bodypack Transmitter for WX1600 Series Wireless (Does not include Receiver, Mic or Guitar Cable), Frequency range band: 542 - 564 MHz
TX1610 F Model Name #TX1610	Bodypack Transmitter for WX1600 Series Wireless (Does not include Receiver, Mic or Guitar Cable), Frequency range band: 638 - 662 MHz
RX1600 G Model Name #RX1600	Receiver for WX1600 Series Wireless (Does not include Transmitter), Frequency range band: 542 - 564 MHz
RX1600 F Model Name #RX1600	Receiver for WX1600 Series Wireless (Does not include Transmitter), Frequency range band: 638 - 662 MHz
TX3010 Order SKU #TX3010/CAD	CADLive 3000 Series Bodypack TX
RX3000	CADLive 3000 Series Receiver
TX4000	CADLive 4000 Series Handheld TX - CADLive D90 Capsule
TX4010	CADLive 4000 Series Bodypack TX
RX4000	CADLive 4000 Series Receiver
TX3000R	CADLive 3000 Series Handheld TX - CADLive D90 Capsule (Freq Range 580-600 MHz)
TX3000S	CADLive 3000 Series Handheld TX - CADLive D90 Capsule (Freq Range 655-679 MHz)
TX3000N	CADLive 3000 Series Handheld TX - CADLive D90 Capsule (Freq Range 518-542 MHz)
RXGXLD2AI* Order SKU #RXGXLD2AI	GXLD2 Receiver Freq AI
RXGXLD2AH* Order SKU #RXGXLD2AH	GXLD2 Receiver Freq AH

Wireless (Live Performance) - Stagepass 1600 Series

Model	Description
WX1610 G Model Name #WX1610	UHF Wireless Body Pack Microphone System (Includes E19 Earworn, WXGTR, and WXLAV
WX4010	Digital Wireless Body Pack Microphone System (Includes E19 Earworn, E29 Lavalier, and WXGTR
WX4000	Digital Wireless Cardioid Dynamic Handheld Microphone System w/D90 Capsule
WX3010S	UHF Wireless Body Pack Microphone System (Includes E19 Earworn, E29 Lavalier, and WXGTR, Freq. band 655-679 MHz)
WX3010R	UHF Wireless Body Pack Microphone System (Includes E19 Earworn, E29 Lavalier, and WXGTR, Freq. band 580-600 MHz)
WX3000R	UHF Wireless Cardioid Dynamic Handheld Microphone System w/D90 Capsule (Freq. Range 580-600 MHz)
WX3000N	UHF Wireless Cardioid Dynamic Handheld Microphone System w/D90 Capsule (Freq. Range 518-542 MHz)

Wireless (General Purpose) - GXLU Series

Model	Description
GXLUHHK	UHF Dual Channel Fixed Frequency Non-Diversity Wireless System (2x Handheld Mics, Freq Group K)

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Model	Description
GXLUHHL	UHF Dual Channel Fixed Frequency Non-Diversity Wireless System (2x Handheld Mics, Freq Group L)
GXLUHBK	UHF Dual Channel Fixed Frequency Non-Diversity Wireless System (1x Handheld Mics, 1x Bodypack Mic, Freq Group K)
GXLUHBL	UHF Dual Channel Fixed Frequency Non-Diversity Wireless System (1x Handheld Mics, 1x Bodypack Mic, Freq Group L)
GXLUBBK	UHF Dual Channel Fixed Frequency Non-Diversity Wireless System (2x Bodypack Mic, Freq Group K)
GXLUBBL	UHF Dual Channel Fixed Frequency Non-Diversity Wireless System (2x Bodypack Mic, Freq Group L)
RXGXLUK	Receiver for GXLU Freq K
RXGXLUL	Receiver for GXLU Freq L
TXBGXLUK	Bodypack TX for GXLU Freq K
TXBGXLUL	Bodypack TX for GXLU Freq L
TXHGXLUK	Cardioid Handheld TX for GXLU Freq K

Wireless (General Purpose) - GXLV Series

Model	Description
GXLVHHH	VHF Dual Channel Fixed Frequency Nn-Diversity Wireless System (2x Handheld Mics, Freq Group H)
GXLVHHJ	VHF Dual Channel Fixed Frequency Nn-Diversity Wireless System (2x Handheld Mics, Freq Group J)
GXLVHBH	VHF Dual Channel Fixed Frequency Non-Diversity Wireless System (1x Handheld Mics, 1x Bodypack Mic, Freq Group H)
GXLVHBJ	VHF Dual Channel Fixed Frequency Non-Diversity Wireless System (1x Handheld Mics, 1x Bodypack Mic, Freq Group J)
GXLVBBH	VHF Dual Channel Fixed Frequency Non-Diversity Wireless System (2x Bodypack Mic, Freq Group H)
GXLVBBJ	VHF Dual Channel Fixed Frequency Non-Diversity Wireless System (2x Bodypack Mic, Freq Group J)
RXGXLVH	Receiver for GXLV Freq H
RXGXLVJ	Receiver for GXLV Freq J
TXBGXLVH	Bodypack TX for GXLV Freq H
TXBGXLVJ	Bodypack TX for GXLV Freq J
TXGXLDBAI* Order SKU #TXGXLDBAI	GXLD BodyPack TX Freq AI
TXGXLDBAH* Order SKU #TXGXLDBAH	GXLD BodyPack TX Freq AH
TXGXLDHAI* Order SKU #TXGXLDHAI	GXLD Handheld TX Freq AI
TXGXLDHAH* Order SKU #TXGXLDHAH	GXLD Handheld TX Freq AH
TXHGXLUL	Cardioid Handheld TX for GXLV Freq L
TXHGXLVH	Cardioid Handheld TX for GXLV Freq H
TXHGXLVJ	Cardioid Handheld TX for GXLV Freq J

Wireless (Commercial Grade) - WX100 Series

Model	Description
WXHW	Cardioid Condenser Headworn Microphone (TA4F Connector)
WXLAV	Cardioid Condenser Lavalier Microphone (TA4F Connector)
WXGTR	Heavy Duty Guitar Cable (TA4F Connector)
E19	Equitek Broadcast and Production Minuature Earworn Omnidirectional Microphone (TA4F Connector)

Wireless Accessories - WX100 Series Accessories

Model	Description
E19CD	Equitek E19 Replacement Cable for CAD Audio Wireless
E19AT	Equitek E19 Terminated for Audio Technica

Starin is your Supply Partner. To place you order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Model	Description
E19ATCD	E19 Replacement Cable Audio Technica Wireless
E19SL	Equitek E19 Terminated for Shure
E19SLCD	E19 Replacement Cable Shure Wireless
E19SR	Equitek E19 Terminated for Sennheiser
E29	Equitek Broadcast and Production Miniature Lavalier Omni Microphone-TA4F Connector
E19SRC	E19 Replacement Cable Sennheiser Wireless
302	Cardioid Condenser Headworn Microphone (TA4F)
DA4090	UHF Antenna and Power Distribution System- 1RU (470 to 960MHz)
ANT100T* Order SKU #ANT100T	UHF Antenna Whip Style Sold Individually - T Band
ANT100Q* Order SKU #ANT100Q	UHF Antenna Whip Style Sold Individually - Q Band
ANT100N* Order SKU #ANT100N	UHF Antenna Whip Style Sold Individually - N Band
ANT100R* Order SKU #ANT100R	UHF Antenna Whip Style Sold Individually - R Band
ANT120	UHF Paddle Antenna (600Mhz to 960Mhz)

Wired Microphones - Recording

Model	Description
E100S	Large Diaphragm Supercardioid Condenser Microphone
E300S	Large Diaphragm Multi-pattern Condenser Microphone
E70	Modular Dual-Capsule Condenser Microphone
E60	Cardioid Condenser Microphone
M179	Variable-Pattern Condenser Microphone
GXL3000BP	Multi-Pattern Condenser Black Pearl Chrome Finish Microphone
GXL2200BP	Large Diaphragm Cardioid Condenser Black Pearl Chrome Finish Microphone
GXL1200BP	Cardioid Condenser Black Pearl Chrome Finish Microphone
GXL1800	Side Address Studio Condenser Microphone
GXL1800SP	Studio Pack with GXL1800 Side Address & GXL800 Small Diaphragm Microphone
GXL3000BPSP	GLX3000BP Studio Pack
GXL2200BPSP	GLX2200BP Studio Pack
GXL3000	Multi-Pattern Condenser Microphone
GXL2200	Cardioid Condenser
GXL1200	Cardioid Condenser Microphone
GXL3000SP	GLX3000 Studio Pack #1
GXLD2BBAH	Digital Wireless Dual Bodypack Microphone System AH Frequency
GXLD2BBAI	Digital Wireless Dual Bodypack Microphone System AI Frequency
GXLD2HBAH	Digital Wireless Combo System- Handheld and BodyPack Microphone System AH Frequency Band
GXLD2HBAI	Digital Wireless Combo System- Handheld and BodyPack Microphone System AI Frequency Band
GXLD2HHAH	Digital Wireless Dual Handheld Microphone System with D38 Capsule AH Frequency Band
GXLD2HHAI	Digital Wireless Dual Handheld Microphone System with D38 Capsule AI Frequency Band
GXLIEM	Wireless In Ear Monitor System
GXLIEM2	Dual Mix Wireless In Ear Monitor System
GXLIEM4	Quad Mix Wireless In Ear Monitor System
GXLIEMBP	GXLIEM BodyPack Receiver - MEB1 Earbuds Included
GXL2200SP	GLX2200 Studio Pack #1

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Wired Microphones - CAD Live (Vocal, Instruments)

Model	Description
D80	Side Address Large Diaphragm Moving Coil Dynamic Super Cardioid Microphone
D82	Side Address Moving Ribbon Dynamic Figure-Eight Microphone
D84	Side Address Externally Polarized Large Diaphragm Cardioid Condenser Microphone
D88	Supercardioid Kick Drum Microphone
D89	Premium Supercardioid Dynamic Instrument Microphone
D38X3Model Name #D38	D38 Supercardioid Dynamic Instrument Microphone (3 pack)
D32X3Model Name #D32	D32 Supercardioid Dynamic Vocal Microphone with On/Off Switch (3 Pack)
D90	Premium Supercardioid Dynamic Handheld Microphone
STAGE7	7-piece Drum Microphone Pack
KBM412	Cardioid Neodymium Kick Dynamic Microphone
TSM411	Supercardioid Neodymium Percussion/Instrument Dynamic Microphone
C9S	Cardioid Condenser Cymbal / Overhead Microphone (Pair)
C92	Premium Cardioid Condenser Handheld Featuring TrueFlex Equitek Capsule

Wireless In Ear Monitor - StagePass System

Model	Description
STAGESELECT IEM Q	UHF In Ear Monitor Wireless System - Single Pack with Ear Buds (Freq 470-489 MHz)
STAGESELECT IEM N	UHF In Ear Monitor Wireless System - Single Pack with Ear Buds (Freq 518-542 MHz)

Wired Microphones - CAD Live (Vocal, Instruments)

Model	Description
CLC10	10 ft. Premium Mic Cable XLR-M to XLR-F
CLC25	25 ft. Premium Mic Cable XLR-M to XLR-F
CLC50	50 ft. Premium Mic Cable XLR-M to XLR-F
CAD12	Cardioid Dynamic Handheld Microphone (With On/Off Switch)

Wired Microphones - USB Products

Model	Description
GXL2600USB	Premium USB Large Diaphragm Cardioid Condenser Microphone
Zoe	USB Condenser Recording Microphone with TrakMix™ Headphone Output
U1	USB Cardioid Dynamic Handheld Microphone (With On/Off Switch)
U2	USB Stereo Headphones with Cardioid Condenser Gooseneck Boom Microphone
U29	USB Side Address Studio Microphone
U7	USB Omnidirectional Condenser Tabletop Recording Microphone
U9	USB Cardioid Condenser Mini Microphone
U37	USB Cardioid Condenser Studio Recording Microphone
U37SE-C\Model Name #U37SE	USB Large Diaphragm Cardioid Condenser Microphone w/ Tripod Stand, 10' USB Cable (Camouflage)
U37SE-OR\Model Name #U37SE	USB Large Diaphragm Cardioid Condenser Microphone w/ Tripod Stand, 10' USB Cable (Orange and Black)
U37SE-CA\Model Name #U37SE	USB Large Diaphragm Cardioid Condenser Microphone w/ Tripod Stand, 10' USB Cable (Candy Apple Red)
U49	USB Side Address Studio Microphone with Headphone Monitor and Echo

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Wireless In Ear Monitor - Wireless In-Ear Monitors

Model	Description
IEMBP	Bodypack for StagePass IEM - MEB2 Earbuds Included

Headphones - Headphones

Model	Description
MH510	Closed-back Studio Headphones (Black)
MH510W	Closed-back Studio Headphones (White / Red)
MH510GD	Closed-back Studio Headphones (Gold)
MH510OR	Closed-back Studio Headphones (Black / Orange)
MH320	Closed-back Studio Headphones
MH210	Closed-back Studio Headphones
MH210W	Closed-back Studio Headphones White
MH110	Closed-back Studio Headphones - Easy-fold Comfort Fit
MH100	Closed-back Studio Headphones
DH100	Drummer Isolation Headphones
HA4	Four Channel Stereo Headphone Amplifier

Astatic Commercial Mics - Variable Pattern

Model	Description
2600VP - DSP	Variable Polar Pattern, Hanging Microphone DSP Compatible - Black
2700VP - DSP	Variable Polar Pattern, 56" Miniature Choir Boom Microphone DSP Compatible - Black
2800VP - DSP	Variable Polar Pattern, 18" Podium Microphone DSP Compatible - Black
2220VP - DSP	Variable Polar Pattern Installation Boundary "button" Microphone DSP Compatible - Black
2220VPW - DSP	Variable Polar Pattern Installation Boundary "button" Microphone DSP Compatible - White
1600VP	Remote Variable Polar Pattern Hanging Microphone (Black)
1700VP	Remote Variable Polar Pattern 56" Boom Microphone (Black)
1800VP	Remote Variable Polar Pattern 18" Gooseneck Microphone (Black)
930VPL	Variable Polar Pattern, Prog Switch, Boundary Mic w/active LED & Logic
901VP	Variable Polar Pattern Desktop Boundary Microphone (Black)
220VP	Variable Pattern Installation Boundary "Button" Microphone (Black)
220VPW	Variable Pattern Installation Boundary "Button" Microphone (White)

Astatic Commercial Mics - Boundary

Model	Description
201R	Mini Cardioid Installation Boundary "button" Microphone (Black)
202RW	Mini Omnidirectional Installation Boundary "button" Microphone (White)

Astatic Commercial Mics - Gooseneck Condenser

Model	Description
727-18	Cardioid Dynamic Mini-gooseneck Microphone (18" Black)
905R	11" Premium Shotgun Polar Pattern Gooseneck
915B	Cardioid Condenser Mini-gooseneck Microphone (15" Black)
920B	Cardioid Condenser Mini-gooseneck Microphone (20" Black)
827A-17	Condenser Gooseneck Cardioid Condenser Mics (22" Black)

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Astatic Commercial Mics - Overhead Condenser

Model	Description
210	Omnidirectional Variable Line Level Output "button" Microphone with Limiting Circuitry
900 Order SKU #900/AST	Condenser Overhead Hanging Cardioid Microphone (Black)
900W	Condenser Overhead Hanging Cardioid Microphone (White)

Astatic Commercial Mics - Dynamic Paging

Model	Description
AMC105SNO-19	Dynamic Heavy Duty Push-To-Talk Omni-Directional Microphone (19" Gooseneck, 2-3/4" diameter flange)
AMC105-2-19	Dynamic Heavy Duty Dual Zone Omnidirectional Microphone Head (19" gooseneck)
119L-19	Dynamic Heavy-Duty Cardioid Paging Microphone Head (Chrome, No switch, 19" Gooseneck)
119S-19	Dynamic Heavy-Duty Cardioid Paging Microphone Head (Chrome, Push-To-Talk Switch, 19" Gooseneck)
611L	Dynamic Omni-directional Palm-Held Microphone
631L	Dynamic Noise-Canceling Palm-Held Microphone
651	Dynamic Small-Format Omnidirectional Palm-Held Paging Microphone
878HL-2	Dynamic Omnidirectional Table Top Paging Microphone
WM-625	Dynamic Indoor Wall-Mounted Omnidirectional Microphone
WM-625S	Dynamic Indoor Wall-Mounted Omnidirectional Microphone (with Switch)
WM 1000 Order SKU #WM1000/AST	Dynamic Outdoor Wall-Mount Omni-Directional Microphone

Accessories - Acousti-Shield

Model	Description
AS16	Acousti-Shield 16 - Stand Mounted Acoustic Enclosure (Instrument)
AS22	Acousti-Shield 22 - Stand Mounted Acoustic Enclosure (Portable / Folding)
AS32	Acousti-Shield 32 - Stand Mounted Acoustic Enclosure
AS32FLEX	Acousti-shield 32 - Stand Mounted Folding Acoustic Enclosure
VP1 Order SKU #VP1/CAD	VoxPop 6" Pop Filter on 14" Gooseneck

Accessories - Gooseneck Accessories

Model	Description
GSM-1	Heavy Duty Installation/Lectern/Podium Shock Mount
FM2-A	Flange Mount and XLR Adapter Kit
FM-1A	Flange Mount and XLR Adapter Kit
40-116	Heavy Duty Desk Stand with Selectable Push-To-Talk or Push-To-Mute Switch
40-117	Heavy Duty Desk Stand with Selectable Push-To-Talk or Push-To-Mute Switch & LED Status indicator
40-118	Heavy Duty Desk Stand with Selectable Push-To-Talk or Push-To-Mute Switch, LED Status indicator & Selectable Power-Up On or Mute

Accessories - Windscreens

Model	Description
40-306	Windscreens for Mini Goosenecks (Charcoal, 2 per package)

Accessories - Wall Plates

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Model	Description
40-347	Brushed Stainless Steel 1-Gang Wall Plate with Single XLR-F Connector
40-348	Brushed Stainless Steel 1-Gang Wall Plate with Double XLR-F Connector

Accessories - Audio Cables

Model	Description
40-354	30' XLR-M to TA3F Cable
40-355	30' XLR-M to TA4F Cable
40-360	24" Cable Terminated w/Professional 3-pin XLR-F and Phoenix-type Terminal Plug DSP Compatible
40-337	Professional XLR-F Neutrik Connector (Black)
40-338	Professional XLR-M Neutrik Connector (Black)
40-350	50' Heavy Duty XLR-M to XLR-F Cable
40-352	25' Heavy Duty XLR-M to XLR-F Cable

Accessories - Control Bracket & Rack Shelf

Model	Description
VPC-1	Remote Variable Pattern Control box for the 220VP and 901VP microphones

Accessories - Stand

Model	Description
MB-1 Order SKU #MB1/AST	56" Miniature Choir Boom with TA3F and TA3M for use with 1600VP Microphone System
MB-18	18" Dual Flex Gooseneck with TA3F and XLR-M for use with the 1600VP Microphone System
MEB2	Dual Armature Stereo Earbuds provide accurate audio reproduction while the EasyFit™ Silicon molds provide a custom fit
TBS-2	Round Microphone Floor Stand (Black, 33-60" Adjustable Height)
40-107	Round Microphone Desk Stand (Black, 9-13" Adjustable Height)
40-105	Round Microphone Desk Stand (Black, 7" Fixed Height)

Accessories - Shockmount

Model	Description
DMC-1	Drum Mic Clip
MZM5	Elastic Suspension for M177, M179, M9
GZM-6	Shockmount for GXL3000, GXL2400, GXL2200
E100SM	Elastic Suspension Shockmount for e100

Accessories - Microphone Bracket

Model	Description
40-315	Mounting Bracket for 611L & 631L

Microphones - Professional Boundary Layer ("Button" & Desktop) Condenser

Model	Description
A77	Supercardioid Large Diaphragm Dynamic Side Address Microphone

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Microphones - Percussion

Model	Description
RFC4M	4 Meter - BNC to BNC - 50ohm RF Cable
RFC2M	2 Meter - BNC to BNC - 50ohm RF Cable

Starin is your Supply Partner. To place you order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz